

köfs

Precision
Engineered for the
Ultimate Hunt

KoFs Firearms Company

📍 Isparta Organize Sanayi Bölgesi 109 Cd. No:5 Isparta / Türkiye

☎ +90 246 556 54 86 Fax: +90 246 556 54 87

✉ info@kofs.com.tr

🌐 kofs.com.tr



köfs The Shotgun
Collection



What began as a spark in a small village workshop in Burdur during the 1950s has now grown into a vast 70,000-square-meter facility in Isparta Organized Industrial Zone. Nurtured by decades of dedication, this flame now reaches every corner of the world.

It started as a passion; today, it stands as a legacy...

For two generations, we have blended our time-honored knowledge and skill with cutting-edge technology to craft the finest firearms. With a team of over 170 skilled professionals, we pour soul into every product, never compromising on aesthetics or innovation. Our customers' expectations guide us like a compass, driving us to constantly refine our craft and push production further every day.

Rooted in tradition yet boldly facing the future... At KOFS, we don't just manufacture firearms—we write the story of a passion, a devotion, and the relentless pursuit of perfection.

This catalog is a new chapter in that story. We hope you enjoy exploring it.

KOFS | *Precision Crafted, Globally Trusted.*

Table of Content

Over&Under

KOFS SC	02
KOFS ZN	26
KOFS CV	42

Three Barrel

KOFS RP	62
---------------	----

Semi-Automatic

KOFS IM	90
KOFS RT.....	102

Pump-Action

KOFS KF	114
---------------	-----

Single Shot Rifle

KOFS KX-01	120
------------------	-----

Side by Side

KOFS EC	126
KOFS CH	130

Single Barrel Shotgun

KOFS MN	134
---------------	-----

Engraving Alternatives

SC & Zenith (ZN) Engravings	39-40
Cavalry (CV) Engravings	59-60



KOFS_{SC}

"Patience has a cold barrel."

KOFS_{SC}

GAUGE 16 | BARREL LENGTH 66 | REC 1



Ported Barrel (optional) >>



(*)

Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.8 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor

KOFS *sCe*

GAUGE 12 | BARREL LENGTH 71 | REC 20



Ported Barrel (optional) >>



(*)
Specifications subject to change without notice.
Weight approximate.


Gauge	12, 16
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.7 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS_{SC}

GAUGE 20 | BARREL LENGTH 66 | REC 1



Ported Barrel (optional) >>



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	20
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.5 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor

KOFS *sCe*

GAUGE 20 | BARREL LENGTH 66 | REC 5



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	20, 28
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.5 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 ³ / ₄ (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS^{SC}

GAUGE **36** | BARREL LENGTH **66** | REC **1**



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.5 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 ^{3/4} (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor

KOFS *sCe*

GAUGE 36 | BARREL LENGTH 66 | REC 5



Ported Barrel (optional) >>

(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.4 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS *sc*

Monte Carlo

GAUGE 12 | BARREL LENGTH 71 | REC 8



Ported Barrel (optional) >>

(*)

Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.8 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished / Monte Carlo
Chamber	3" (magnum) or 2 ³ / ₄ (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor or auto ejector

KOFS *sCe*

CAMO

GAUGE 12 | BARREL LENGTH 71



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.8 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy and coated with cerakote
Stock	Camo
Chamber	3" (magnum) or 2 ³ / ₄ " (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and cerakote-coated exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor or auto ejector

KOFS *sc*

Trap

GAUGE 36 | BARREL LENGTH 71 | REC 2



Ported Barrel (optional) >>

(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	28" (71 cm), 30" (76 cm)
*Avg. Weight	2.5 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 ³ / ₄ (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead, brass middle bead
Fore-end	Beavertail
Trigger	Single selective
Unloading	Extractor

KOFS *sCe*

Trap

GAUGE 12 | BARREL LENGTH 76 | REC 10



Ported Barrel (optional) >>



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	28" (71 cm), 30" (76 cm)
*Avg. Weight	3.2 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 ³ / ₄ " (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead, brass middle bead
Fore-end	Beavertail
Trigger	Single selective
Unloading	Auto ejector

KOFS *s*

Trap

GAUGE 12 | BARREL LENGTH 76 | REC 2



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	28" (71 cm), 30" (76 cm)
*Avg. Weight	3.1 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead and brass middle bead
Fore-end	Beavertail
Unloading	Extractor or auto ejector



KOFS ZN

"Elevate your hunt beyond the ordinary."

KOFS ZN

Zenith

GAUGE 12 | BARREL LENGTH 71 | REC 5



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16
Barrel Length	26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.2 kg
Receiver	Monoblock steel receiver
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor

KOFS *ZNe*

Zenith

GAUGE 12 | BARREL LENGTH 71 | REC 18



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16
Barrel Length	26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.2 kg
Receiver	Monoblock steel receiver
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS *ZNe*

Zenith (Trap)

GAUGE 12 | BARREL LENGTH 76 | REC 18



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.5 kg
Receiver	Monoblock steel receiver
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead
Fore-end	Beavertail
Trigger	Single selective
Unloading	Extractor or auto ejector

KOFS *ZNe*

Pro Trap

GAUGE 12 | BARREL LENGTH 76 | REC 10



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	30" (76 cm)
*Avg. Weight	3.7 kg
Receiver	Monoblock steel or stainless steel receiver
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead
Fore-end	Beavertail
Trigger	Single selective
Unloading	Auto ejector

KOFS ZNe (SS)

GAUGE 12 | BARREL LENGTH 71 | REC 11



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	28" (71cm)
*Avg. Weight	3.2 kg
Receiver	Stainless steel
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS ZNe (SS)

GAUGE 12 | BARREL LENGTH 76 | REC 5

Pro Trap



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge 12

Barrel Length 30" (76cm)

***Avg. Weight** 3.7 kg

Receiver Stainless steel

Stock Turkish walnut - oil finished

Chamber 3" (magnum)



Barrel 42CrMo4 steel. Chrome-lined interior and exterior

Chokes 5 interchangeable chokes, C, IC, M, IM, F









Sight(s) Optic front bead

Fore-end Beavertail


Trigger Single selective

Unloading Auto ejector

*KOFS SC & Zenith (ZN)
Engraving
Alternatives*



*KOFS SC & Zenith (ZN)
Engraving
Alternatives*





KOFS cv

"Where instinct meets impact."

KOFS *cv*

Cavalry

GAUGE 12 | BARREL LENGTH 71 | REC 16



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.6 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor

KOFS *cVe*

Cavalry

GAUGE 12 | BARREL LENGTH 71 | REC 16



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.6 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS *cVe*

Cavalry

GAUGE 20 | BARREL LENGTH 66 | REC 6



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	20
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.5 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor or auto ejector

KOFS *cv*

Cavalry

GAUGE 36 | BARREL LENGTH 66 | REC 2



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.4 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 3/4" (70 mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor

KOFS *cVe*


Cavalry

GAUGE 36 | BARREL LENGTH 66 | REC 6



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.3 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 ³ / ₄ " (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Auto ejector

KOFS *cv*

Cavalry Sport

GAUGE **36** | BARREL LENGTH **71** | REC **4**



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20, 28, 36 (.410)
Barrel Length	28" (71 cm), 30" (76 cm)
*Avg. Weight	2.5 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum) or 2 ³ / ₄ " (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor or auto ejector

KOFS *cVe*

Cavalry CAMO -I

GAUGE 12 | BARREL LENGTH 71



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.9 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy and coated with camo
Stock	Camo
Chamber	3" (magnum) or 2 ³ / ₄ " (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and camouflage-coated exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor or auto ejector

KOFS *cVe*

Cavalry CAMO -II

GAUGE ⑫ | BARREL LENGTH ⑦① | REC ①




(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.7 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Camo
Chamber	3" (magnum) or 2 ³ / ₄ " (70mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Fore-end	Schnabel
Trigger	Single selective
Unloading	Extractor or auto ejector

Cavalry (CV)
Engraving Alternatives



A wide-angle photograph of two dogs in a vast, golden field at sunset. The sun is low on the horizon, casting a warm glow over the scene. The sky is a mix of deep blue and orange, with scattered white clouds. Several birds are silhouetted against the sky, flying in various directions. The dogs are positioned in the lower-left foreground, looking towards the right. The overall mood is serene and majestic.

KOFS RP

"One trigger, three barrels, maximum power!"

KOFS RPs

With selector

GAUGE 12 | BARREL LENGTH 46 | REC 1

64



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.3 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single selective
Unloading	Extractor

KOFS RPs

With selector

GAUGE 12 | BARREL LENGTH 66 | REC 2

66




(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20"(51 cm), 22"(56 cm), 24"(61 cm), 26"(66 cm), 28"(71 cm), 30"(76 cm)
*Avg. Weight	3.5 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single selective
Unloading	Extractor



KOFS RP

GAUGE 12 | BARREL LENGTH 66 | REC 3




(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.6 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor



KOFS RP

GAUGE 12 | BARREL LENGTH 66 | REC 4




(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.6 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor



KOFS RP

GAUGE 12 | BARREL LENGTH 66 | REC 5




(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.6 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor




KOFS RP

GAUGE 12 | BARREL LENGTH 46 | REC 1



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.11 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Black synthetic
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor


KOFS RP

GAUGE 20 | BARREL LENGTH 66 | REC 1



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	20
Barrel Length	18,5" (46 cm), 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.560 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Black synthetic
Chamber	3"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor

KOFS RP


CAMO with-without selector

GAUGE 12 | BARREL LENGTH 61



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20, 28, 36 (.410)
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.5 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy and coated with camo
Stock	Synthetic camo
Chamber	2 ^{3/4} ", 3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and camouflage-coated exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor

KOFS RP


GAUGE 20 | BARREL LENGTH 66 | REC 2



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.65 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"

80



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor


KOFS RP

GAUGE 20 | BARREL LENGTH 66 | REC 4



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.65 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3", 3.5"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor


KOFS RP

GAUGE 28 | BARREL LENGTH 66 | REC 1



(*) Specifications subject to change without notice.
Weight approximate.

Gauge	28, 36 (.410)
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.910 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	2 ^{3/4} ", 3"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor

KOFS RP


GAUGE 36 | BARREL LENGTH 66 | REC 2

86



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	28, 36 (.410)
Barrel Length	18,5" (46 cm) 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.850 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	2 ^{3/4} ", 3"



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Single
Unloading	Extractor

KOFS RP

GAUGE 20 | BARREL LENGTH 30 | REC 3



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge 12, 20, 28, 36 (.410)


Barrel Length 11,8" (30 cm)

***Avg. Weight** 3.150 kg

Receiver Monoblock receiver made from 7000 series alloy

Stock Turkish walnut - oil finished

Chamber 2^{3/4}", 3"



Barrel 42CrMo4 steel. Chrome-lined interior and exterior.

Chokes 5 interchangeable chokes, C, IC, M, IM, F

Sight(s) Brass or optic front bead

Trigger Single

Unloading Extractor



KOFS *IM*

"Strike before you're seen."

KOFS IM

Gas Operated

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.2 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Capacity	2+1, 4+1
Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS IM

Gas Operated

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.1 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Black synthetic
Chamber	3" (magnum)



Capacity	2+1, 4+1
Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS IM

Gas Operated

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.1 kg
Receiver	Monoblock receiver made from 7000 series alloy and coated with cerakote
Stock	Synthetic camo
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and cerakote-coated exterior.
Capacity	2+1, 4+1
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS IM

Gas Operated

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.1 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Synthetic camo
Chamber	3" (magnum)



Capacity	2+1, 4+1
Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS IM

Gas Operated

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	3.1 kg
Receiver	Monoblock receiver made from 7000 series alloy and coated with camo
Stock	Synthetic camo
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and camouflage-coated exterior.
Capacity	2+1, 4+1
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead



KOFS RT

"Find your rhythm. Rule the hunt."

KOFS RT

Inertia

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.9 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Capacity	2+1, 4+1
Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS RT

Inertia

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.8 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Black synthetic
Chamber	3" (magnum)



Capacity	2+1, 4+1
Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS RT

Inertia

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.9 kg
Receiver	Monoblock receiver made from 7000 series alloy and coated with cerakote
Stock	Synthetic camo
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and cerakote-coated exterior.
Capacity	2+1, 4+1
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS RT

Inertia

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.9 kg
Receiver	Monoblock receiver made from 7000 series alloy and coated with camo
Stock	Synthetic camo
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and camouflage-coated exterior.
Capacity	2+1, 4+1
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

KOFS RT

Inertia

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.9 kg
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Synthetic camo
Chamber	3" (magnum)



Capacity	2+1, 4+1
Barrel	42CrMo4 steel. Chrome-lined interior and exterior
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Optic front bead

A person in a dark jacket stands in a field of tall grass and reeds at dawn. The scene is misty and backlit by the rising sun, creating a golden glow. The person is holding a rifle. The background is filled with dense trees under a pale sky.

KOFS KF

"The force behind every shot."

KOFS KF

Pump-Action Ribbed

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	18" (46 cm), 20" (51 cm) 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.7 kg
Receiver	Monoblock receiver made from 7000 series alloy or coated with camo
Stock	Black synthetic or camo
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined or camouflage-coated interior and exterior.
Capacity	2+1, 4+1
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead

KOFS KF

Pump-Action Non-Ribbed

GAUGE 12 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12
Barrel Length	18" (46 cm), 20" (51 cm) 24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.6 kg
Receiver	Monoblock receiver made from 7000 series alloy or coated with camo
Stock	Black synthetic or camo
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined or camouflage-coated interior and exterior.
Capacity	2+1, 4+1
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead



KOFS *KX-01*

"The art of the rifle the soul of a single shot."

KOFS KX-01

CALIBER 308 | BARREL LENGTH 56 | REC 1



(*)
The binoculars are shown for accessory purposes.
They are not included in the model. Specifications subject to change
without notice. Weight approximate.

Caliber	308 win, 243 win, 223 rem, 6.5 creedmoor
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm)
*Avg. Weight	2.6 kg (for 243 win)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Barrel	42CrMo4 steel. Chrome-lined interior and exterior.



REC 3

KOFS KX-01

CALIBER 243 | BARREL LENGTH 56 | REC 2



(*)
Specifications subject to change without notice.
Weight approximate.

Caliber	308 win, 243 win, 223 rem, 6.5 creedmoor
Barrel Length	20" (51 cm), 22" (56 cm), 24" (61 cm)
*Avg. Weight	2.6 kg (for 243 win)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Barrel	42CrMo4 steel. Chrome-lined interior and exterior.



REC 4



KOFS EC

"Engineered for the wild's demands."

KOFS *EC*

GAUGE ⑫ | BARREL LENGTH ⑦① | REC ①



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	24"(61 cm), 26"(66 cm), 28"(71 cm), 30"(76 cm)
*Avg. Weight	3.10 kg (for 12 gauge)
Receiver	Monoblock steel receiver
Stock	Turkish walnut - oil finished
Chamber	3" (magnum), 2 3/4" (70 mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass front bead
Trigger	Single selective
Unloading	Extractor



KOFS CH

"Classic form. Timeless power."

KOFS CH

GAUGE 12 | BARREL LENGTH 61 | REC 3



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 20
Barrel Length	18,5" (46 cm), 20" (51 cm), 22" (56 cm), 24" (61 cm), 26" (66 cm), 28" (71 cm)
*Avg. Weight	2.4 kg (for 12 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Trigger	Double
Unloading	Extractor



KOFS MN

"The wise man loads once."

KOFS MN

GAUGE 36 | BARREL LENGTH 66 | REC 1



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.3 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy
Stock	Turkish walnut - oil finished
Chamber	3" (magnum), 2 3/4" (70 mm)



Barrel	42CrMo4 steel. Chrome-lined interior and exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Unloading	Extractor

KOFS MN

CAMO -I

GAUGE 20 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2 kg (for 20 gauge)
Receiver	Monoblock receiver made from 7000 series alloy and coated with cerakote
Stock	Camo
Chamber	3" (magnum), 2 3/4" (70 mm)



Barrel	42CrMo4 steel. Chrome-lined interior and cerakote-coated exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Unloading	Extractor

KOFS MN

CAMO-II

GAUGE 20 | BARREL LENGTH 66



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2 kg (for 20 gauge)
Receiver	Monoblock receiver made from 7000 series alloy and coated with camo
Stock	Camo
Chamber	3" (magnum), 2 3/4" (70 mm)



140



Barrel	42CrMo4 steel. Chrome-lined interior and camouflage-coated exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Unloading	Extractor

KOFS MN

CAMO-III

GAUGE **36** | BARREL LENGTH **66**



(*)
Specifications subject to change without notice.
Weight approximate.

Gauge	12, 16, 20, 28, 36 (.410)
Barrel Length	24" (61 cm), 26" (66 cm), 28" (71 cm), 30" (76 cm)
*Avg. Weight	2.3 kg (for 36 gauge)
Receiver	Monoblock receiver made from 7000 series alloy and coated with camo
Stock	Camo
Chamber	3" (magnum), 2 3/4" (70 mm)



142



Barrel	42CrMo4 steel. Chrome-lined interior and camouflage-coated exterior.
Chokes	5 interchangeable chokes, C, IC, M, IM, F
Sight(s)	Brass or optic front bead
Unloading	Extractor



Interchangeable Choke Tubes

CHOKES	ABBREVIATION	MARK	Shot pattern percentage in a 30 inch (76cm) dia. circle		
			20 yard (18m)	30 yard (27m)	40 yard (36m)
Cylinder	CYL		80%	60%	40%
Improved Cylinder	IC		100%	77%	55%
Modified	MOD		100%	83%	60%
Improved Modified	IM		100%	91%	65%
Full	F		100%	100%	70%

⚠ Steel Shot and Slug Shot are not recommended with IM and F chokes

Stock Grading at Kofs



Turkish Walnut
Grade 1



Turkish Walnut
Grade 2



Turkish Walnut
Grade 3

